



Approved by PCI & Affiliated to MAKAUT, WB and WBSCT&VE&SD
Dr. Meghnad Saha Sarani, Bidhannagar, Durgapur-713206, West Bengal (India)

SL.NO	TAG	BRAND	MODEL	S/N
1	BCRCP/COMPLAB/COMP.9	HP	HP COMPAQ D290 MT	INI72001J3
2	BCRCP/COMPLAB/COMP.14	HP	HP COMPAQ D290 MT	INI7150407
3	BCRCP/COMPLAB/COMP.03	HP	HP COMPAQ D290 MT	INI72001K1
4	BCRCP/COMPLAB/COMP.18	HP	HP COMPAQ D290 MT	INI71503DH
5	BCRCP/COMPLAB/COMP.04	HP	HP COMPAQ D290 MT	INI72001KG
6	BCRCP/COMPLAB/COMP.20	HP	HP COMPAQ D290 MT	INI72001JX
7	BCRCP/COMPLAB/COMP.21	HP	HP COMPAQ D290 MT	INI72001KH
8	BCRCP/COMPLAB/COMP.22	HP	HP COMPAQ D290 MT	INI62904D6
9	BCRCP/COMPLAB/COMP.05	HP	HP COMPAQ DX2280 MT	INA8260D1P
10	BCRCP/COMPLAB/COMP.43	HP	HP COMPAQ DX2280 MT	INA8260CMJ
11	BCRCP/COMPLAB/COM.06	HP	HP COMPAQ DX2280 MT	INA8260D1P
12	BCRCP/COMPLAB/COMP.07	HP	HP COMPAQ DX2280 MT	INA8260CT6
13	BCRCP/COMPLAB/COMP.12	HP	HP COMPAQ DX2280 MT	INA8260D6Y
14	BCRCP/COMPLAB/COMP.27	HP	HP COMPAQ DX2280 MT	INA8260D6Z
15	BCRCP/COMPLAB/COMP.28	HP	HP COMPAQ DX2280 MT	INA8260D6X
16	BCRCP/COMPLAB/COMP.29	HP	HP COMPAQ DX2280 MT	INA8260CZB
17	BCRCP/COMPLAB/COMP. 02	HP	HP COMPAQ DX2280 MT	3GH8180752
18	BCRCP/COMPLAB/COMP.48	HP	HP PRO 3330 Micro Tower	SGH235RVZM
19	BCRCP/COMPLAB/COMP.49	HP	HP PRO 3330 Micro Tower	SGH235RWOP
20	BCRCP/COMPLAB/COMP.50	HP	HP PRO 3330 Micro Tower	SGH235RVLS
21	BCRCP/COMPLAB/COMP.11	HP	HP 202 G2 MT BUSINESS PC	INA448X5MT
22	BCRCP/COMPLAB/COMP.51	HP	HP 202 G2 MT BUSINESS PC	INA448X5RL
23	BCRCP/COMPLAB/COMP.52	HP	HP 202 G2 MT BUSINESS PC	INA448X5LD
24	BCRCP/COMPLAB/COMP.53	HP	HP 202 G2 MT BUSINESS PC	INA448X5PT
25	BCRCP/COMPLAB/COMP.54	HP	HP 202 G2 MT BUSINESS PC	INA448X5MX
26	BCRCP/COMPLAB/COMP.15	HP	HP 202 G2 MT BUSINESS PC	INA448X5Q0
27	BCRCP/COMPLAB/COMP.57	HP	HP 202 G2 MT BUSINESS PC	INA448X5H3
28	BCRCP/COMPLAB/COMP.58	HP	HP 202 G2 MT BUSINESS PC	INA448X5L5
29	BCRCP/COMPLAB/COMP.59	HP	HP 202 G2 MT BUSINESS PC	INA448X5JS
30	BCRCP/COMPLAB/COMP.16	HP	HP 202 G2 MT BUSINESS PC	INA448X5JL
31	BCRCP/COMPLAB/COMP.60	HP	HP 280G2	INA704P3B6

Prof. (Dr.) Sanyal Kumar Samanta
M. Pharm., Ph.D (J.U.)
Principal




32	BCRCP/COMPLAB/COMP.64	HP	HP 280G2	INA704P39W
33	BCRCP/COMPLAB/COMP.66	HP	HP 280G2	INA704P377
34	BCRCP/COMPLAB/COMP.19	HP	HP 280G2	INA704P35K
35	BCRCP/COMPLAB/COMP.69	HP	HP 280G2	INA704P3BL
36	BCRCP/COMPLAB/COMP.71	HP	HP 280G2	INA704P39M
37	BCRCP/COMPLAB/COMP.75	HP	HP 280G2	INA70P38R
38	BCRCP/COMPLAB/COMP.61	HP	HP280 PRO G6 MT	1N105300XG
39	BCRCP/COMPLAB/COMP.56	HP	HP280 PRO G6 MT	1N105300XK
40	BCRCP/COMPLAB/COMP.47	HP	HP280 PRO G6 MT	1N105300XY
41	BCRCP/COMPLAB/COMP.46	HP	HP280 PRO G6 MT	1N105205GY
42	BCRCP/COMPLAB/COMP.39	HP	HP280 PRO G6 MT	1N105300QJ
43	BCRCP/COMPLAB/COMP.38	HP	HP280 PRO G6 MT	1N105206TP
44	BCRCP/COMPLAB/COMP.35	HP	HP280 PRO G6 MT	1N105300JH
45	BCRCP/COMPLAB/COMP.26	HP	HP280 PRO G6 MT	1N105300S9
46	BCRCP/COMPLAB/COMP.78	HP	HP PRO 3090 MT	INA0240HFX
47	BCRCP/LL/1	HP	HP 280G3	INA810V01S
48	BCRCP/LL/2	HP	HP 280G3	INA810V05X
49	BCRCP/LL/3	HP	HP 280G3	INA810V04H
50	BCRCP/LL/4	HP	HP 280G3	INA810V01V
51	BCRCP/LL/5	HP	HP 280G3	INA810V02W
52	BCRCP/LL/6	HP	HP 280G3	INA810V04Q
53	BCRCP/LL/7	HP	HP 280G3	INA810V055
54	BCRCP/LL/8	HP	HP 280G3	INA810V04P
55	BCRCP/LL/9	HP	HP 280G3	INA810V03F
56	BCRCP/LL/10	HP	HP 280G3	INA810V042
57	BCRCP/LL/11	HP	HP 280G3	INA810V02X
58	BCRCP/LL/12	HP	HP 280G3	INA810V05Z
59	BCRCP/LL/13	HP	HP 280G3	INA810V02S
60	BCRCP/LL/14	HP	HP 280G3	INA810V04B
61	BCRCP/LL/15	HP	HP 280G3	INA810V058
62	BCRCP/LL/16	HP	HP 280G3	INA810V04L
63	BCRCP/LL/17	HP	HP 280G3	INA810V0QX
64	BCRCP/LL/18	HP	HP 280G3	INA810V047
65	BCRCP/LL/19	HP	HP 280G3	INA810V01X
66	BCRCP/LL/20	HP	HP 280G3	INA810V044
67	BCRCP/LL/22	HP	HP 280G3	INA810V02N
68	BCRCP/LL/23	HP	HP 280G3	INA810V03S
69	BCRCP/LL/24	HP	HP 280G3	INA810V057
70	BCRCP/LL/25	HP	HP 280G3	INA810V05P
71	BCRCP/COMPLAB/COMP.36	HP	HP COMPAQ D260 MT	INA53103G3

Prof. (Dr.) Sarani Kumar Samanta
M. Pharm., Ph.D (J.U.)
Principal
Dr. B.C. Roy College of Pharmacy & AHS
Durgapur, West Bengal-713206



72	BCRCP/LIB/COMP.06	HP	HP PRO 3090 MT	INA0190GNQ
73	BCRCP/LIB/COMP.07	HP	HP PRO 3090 MT	INA0240HGD
74	BCRCP/LIB/COMP.05	HP	HP PRO 3090 MT	INA0240H7B
75	BCRCP/LIB/COMP.04	HP	HP 280G2	INA704P3CO
76	BCRCP/LIB/COMP.03	HP	HP 280G2	INA704P387
77	BCRCP/MPHARMLAB/COMP.06	HP	HP COMPAQ D290 MT	INI72001JG
78	BCRCP/MPHARMLAB/COMP.01	HP	HP PRO 3090 MT	INA01902JS
79	BCRCP/MPHARMLAB/COMP.04	HP	HP PRO 3090 MT	INA0240H70
80	BCRCP/MPHARMLAB/COMP.05	HP	HP PRO 3090 MT	INA01902YC
81	BCRCP/MPHARMLAB/COMP.07	HP	HP PRO 3090 MT	INA0220BK6
82	BCRCP/MPHARMLAB/COMP.08	HP	HP PRO 3090 MT	INA02203X3
83	BCRCP/COMPLAB/COMP.17	HP	HP COMPAQ D260 MT	INI547020S
84	BCRCP/COMPLAB/COMP.33	HP	HP COMPAQ D260 MT	INI54701T8
85	BCRCP/COMPLAB/COMP.74	HP	HP 280G2	INA704P397


Prof. (Dr.) Jamir Kumar Samanta
M. Pharm., Ph.D (J.U.)
Principal
Dr. B. C. Roy College of Pharmacy & AHS
Durgapur, West Bengal-713206